## GENERAL SURGERY 2017 - 18

GENERAL SURGERY 20		easure N	Number	_				_			D	thod(s)	od(s)			
Measure Title	eMeasure ID	eMeasu re NQF	NQF	Quality NO. (Q#)	Measure Description	NQS Domain	Measure Type	High Priorit y	Appro priate Use		Clai ms	CSV	EHR	CMS Web Interf ace		Regi stry
Perioperative Care: Selection of Prophylactic Antibiotic – First OR Second Generation Cephalosporin	N/A	N/A	0268	021	Percentage of surgical patients aged 18 years and older undergoing procedures with the indications for a first OR second generation cephalosporin prophylactic antibiotic who had an order for a first OR second generation cephalosporin for antimicrobial prophylaxis	Patient Safety	Process	Х	х	American Society of Plastic Surgeons	X	-	-	-	-	X
Perioperative Care: Venous Thromboembolism (VTE) Prophylaxis (When Indicated in ALL Patients)	N/A	N/A	0239	023	Percentage of surgical patients aged 18 years and older undergoing procedures for which venous thromboembolism (VTE) prophylaxis is indicated in all patients, who had an order for Low Molecular Weight Heparin (LMWH), Low- Dose Unfractionated Heparin (LDUH), adjusted-dose warfarin, fondaparinux or mechanical prophylaxis to be given within 24 hours prior to incision time or within 24 hours after surgery end time	Patient Safety	Process	x		American Society of Plastic Surgeons	X	-	-	-	-	X
Care Plan	N/A	N/A	0326	047	Percentage of patients aged 65 years and older who have an advance care plan or surrogate decision maker documented in the medical record or documentation in the medical record that an advance care plan was discussed but the patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan	Communicat ion and Care Coordinatio n	Process	х		National Committee for Quality Assurance	Х	-	-	-	-	Х
Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan	CMS69v5	N/A	0421	128	Percentage of patients aged 18 years and older with a BMI documented during the current encounter or during the previous six months AND with a BMI outside of normal parameters, a follow-up plan is documented during the encounter or during the previous six months of the current encounter  Normal Parameters: Age 18 years and older BMI => 18.5 and < 25 kg/m2	Community/ Population Health	Process			Centers for Medicare & Medicaid Services	Х	-	X	Х	-	X
Documentation of Current Medications in the Medical Record	CMS68v6	N/A	0419	130	Percentage of visits for patients aged 18 years and older for which the eligible professional attests to documenting a list of current medications using all immediate resources available on the date of the encounter. This list must include ALL known prescriptions, overthe-counters, herbals, and vitamin/mineral/dietary (nutritional) supplements AND must contain the medications' name, dosage, frequency and route of administration.	Patient Safety	Process	х		Centers for Medicare & Medicaid Services	Х	-	X	-	-	Х
Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention	CMS138v 5	N/A	0028	226	Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received cessation counseling intervention if identified as a tobacco user	Community/ Population Health	Process			Physician Consortiu m for Performan ce Improvem ent	X	-	X	X	-	X

## GENERAL SURGERY 2017 - 18

GENERAL SURGERT 20	Measure Number										Data Submission Method(s)						
Measure Title	eMeasure ID	eMeasu re NQF	NQF	Quality NO. (Q#)	Measure Description	NQS Domain	Measure Type	High Priorit y	Appro priate Use	Primary Measure Steward	Clai ms	csv	EHR	CMS Web Interf ace	Adm inist rati ve Clai ms		
Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented	CMS22v5	N/A	N/A	317	Percentage of patients aged 18 years and older seen during the reporting period who were screened for high blood pressure AND a recommended follow-up plan is documented based on the current blood pressure (BP) reading as indicated	Community/ Population Health	Process			Centers for Medicare & Medicaid Services	Х	-	X	-	- X		
Anastomotic Leak Intervention	N/A	N/A	N/A	354	Percentage of patients aged 18 years and older who required an anastomotic leak intervention following gastric bypass or colectomy surgery	Patient Safety	Outcome	Х		American College of Surgeons	-	-	-	-	- X		
Unplanned Reoperation within the 30 Day Postoperative Period	N/A	N/A	N/A	355	Percentage of patients aged 18 years and older who had any unplanned reoperation within the 30 day postoperative period	Patient Safety	Outcome	Х		American College of Surgeons	-	-	-	-	- X		
Unplanned Hospital Readmission within 30 Days of Principal Procedure	N/A	N/A	N/A	356	Percentage of patients aged 18 years and older who had an unplanned hospital readmission within 30 days of principal procedure	Effective Clinical Care	Outcome	Х		American College of Surgeons	-	-	-	-	- X		
Surgical Site Infection (SSI)	N/A	N/A	N/A	357	Percentage of patients aged 18 years and older who had a surgical site infection (SSI)	Effective Clinical Care	Outcome	Х		American College of Surgeons	-	-	-	-	- X		
Patient-Centered Surgical Risk Assessment and Communication	N/A	N/A	N/A	358	Percentage of patients who underwent a non-emergency surgery who had their personalized risks of postoperative complications assessed by their surgical team prior to surgery using a clinical data-based, patient-specific risk calculator and who received personal discussion of those risks with the surgeon	Person and Caregiver- Centered Experience and Outcomes	Process	X		American College of Surgeons	1	-	-	-	- X		
Closing the Referral Loop: Receipt of Specialist Report	CMS50v5	N/A	N/A	374	Percentage of patients with referrals, regardless of age, for which the referring provider receives a report from the provider to whom the patient was referred	Communicat ion and Care Coordinatio n	Process	х		Centers for Medicare & Medicaid Services	-	-	X	-			
Tobacco Use and Help with Quitting Among Adolescents	N/A	N/A	N/A	402	The percentage of adolescents 12 to 20 years of age with a primary care visit during the measurement year for whom tobacco use status was documented and received help with quitting if identified as a tobacco user	Community/ Population Health	Process			National Committee for Quality Assurance	-	-	-	-	- X		